



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/584,576	05/31/2000	David L. Graumann	884.263 US1	4643

21186 7590 12/17/2003

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
P.O. BOX 2938
MINNEAPOLIS, MN 55402

EXAMINER

SWERDLOW, DANIEL

ART UNIT	PAPER NUMBER
----------	--------------

2644

2

DATE MAILED: 12/17/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/584,576

Applicant(s)

GRAUMANN, DAVID L.

Examiner

Daniel Swerdlow

Art Unit

2644

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 31 May 2000.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 31 May 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1 through 6, 14 through 16 18 through 20, 22 and 23 are rejected under 35

U.S.C. 102(b) as being anticipated by Karlsen et al. (WO9715124A1).

3. Regarding Claim 1, Karlsen discloses an **echo canceller** (Fig. 4) comprising: an **adaptive filter** (Fig. 4, reference 12; p. 7, lines 8-9; p. 5, lines 2-3) that is updated continuously (i.e., **generates a current echo model**); decision logic (Fig. 4, reference 24; p. 7, lines 13-16) that corresponds to the **conversion metric computation unit** claimed; and a programmable filter (Fig. 4, reference 18; p. 7, lines 8-16) that corresponds to the **model store** claimed and into which the adaptive filter can be copied (i.e., **store the current echo model from the adaptive filter as a saved model**) under control of (i.e., **in response to an indication from**) the decision logic (Fig. 7, step 730; p. 7, lines 14-16; p. 10, lines 27-30) that corresponds to the **conversion metric computation unit** claimed.

4. Regarding Claim 2, Karlsen further discloses comparison between the adaptive filter output quality (Fig. 7, step 5, q_a) and the programmable filter output quality (Fig. 7, step 5, q_p) which, because the filters operate on the same input signal (Fig. 4, reference $x(n)$) constitutes a **measure of the difference (i.e., distance) between the respective filter models**; and determination of whether the difference exceeds a threshold (i.e., **threshold comparison**) (Fig.

Art Unit: 2644

7, step 530, B) as part of the determination of whether the programmable filter is copied to the adaptive filter (i.e., **to facilitate restoring the saved model as the current echo model**) (Fig. 7, step 760).

5. Regarding Claim 3, Karlsen further discloses **coefficients being copied from the** adaptive filter that corresponds to the **current echo model** claimed to the programmable filter that corresponds to the **model store** claimed (Fig. 7, step 730; p. 7, lines 27-28) which inherently involves transferring and **storing a subset of the coefficients** since any set is a subset of itself.

6. Regarding Claim 4, Karlsen further discloses the decision logic (Fig. 4, reference 24) that includes the function corresponding to the **distance measurement unit** claimed **coupled between the adaptive filter** (Fig. 4, reference 12) **and the** programmable filter (Fig. 4, reference 18) that corresponds to the **model store** claimed to receive the inputs for (i.e., **facilitate**) the comparison (Fig. 7, reference 530) that corresponds to **the distance measurement** claimed at each sample time (i.e., **over a plurality of time lags**) (Fig. 7, reference 500; p. 8, lines 13-16).

7. Regarding Claim 5, Karlsen further discloses copying the programmable filter to the adaptive filter (i.e., **restoring the saved model as the current echo model**) (Fig. 7, step 760).

8. Regarding Claim 6, Karlsen further discloses **distance measurement** as shown apropos of Claim 2, above. In addition, Karlsen discloses this **measurement** at each sample time (i.e., **over a plurality of time lags**) (Fig. 7, reference 500; p. 8, lines 13-16). Further, Karlsen discloses immediately (i.e., **at a matching time lag**) copying the programmable filter to the adaptive filter (i.e., **restoring the saved model as the current model**) (Fig. 7, reference 760) under control of **a comparison** (Fig. 7, reference 740) **coupled to the comparison** (Fig. 7, reference 530) that corresponds to **the distance measurement** claimed.

Art Unit: 2644

9. Regarding Claim 14, Karlsen discloses comparison between the adaptive filter (i.e., current model) output quality (Fig. 7, step 5, q_a) and the programmable filter (i.e., stored model) output quality (Fig. 7, step 5, q_p) which, because the filters operate on the same input signal (Fig. 4, reference $x(n)$) constitutes **comparing the current model with the stored model**; and determination of whether the difference (i.e., **distance**) exceeds a threshold (i.e., **matches a value less than the threshold**) (Fig. 7, step 530, B) as part of the determination of whether the programmable filter is copied to the adaptive filter (i.e., **replacing the current model with the stored model when a match is found**) (Fig. 7, step 760).

10. Regarding Claim 15, Karlsen further discloses **determining a quality measure** (i.e., a **convergence metric value that describes a level of convergence**) of the adaptive filter (Fig. 7, step 510) **and** comparing the quality measure of the adaptive filter with the quality measure of the programmable filter (i.e., **comparing the current model with the stored model**) (Fig. 7, reference 530) **when the quality measure of the adaptive filter** (i.e., **convergence metric**) is **above a threshold**.

11. Regarding Claim 16, Karlsen further discloses dividing the adaptive filter input signal (Fig. 4, $y(n)$) by the adaptive filter output power (Fig. 4, $e_a(n)$) (equation 4) (i.e., **comparing adaptive filter input and output power**) to determine adaptive filter quality (i.e., **determine conversion metric value**).

12. Regarding Claim 18, Karlsen discloses: **detection of the programmable filter performing more poorly than the adaptive filter** (i.e., **a real-time error**) (Fig. 7, step 530) leading to copying the adaptive filter to the programmable filter (i.e., **saving the current echo model as a saved model in a model store**) (Fig. 7, step 730); continuously updating the adaptive filter (i.e.,

resetting the adaptive filter such that convergence begins anew) (p. 5, lines 2-3); comparing the quality of the adaptive filter and the programmable filter (i.e., **the emerging model with the saved model**) (Fig. 7, step 530); and determination of whether the difference exceeds a threshold (i.e., **matches** a value less than the threshold) (Fig. 7, step 530, B) as part of the determination of whether the programmable filter is copied to the adaptive filter (i.e., **replacing the emerging model with the saved model when a match is found**) (Fig. 7, step 760).

13. Regarding Claim 19, Karlsen further discloses dividing the adaptive filter input signal (Fig. 4, $y(n)$) by the adaptive filter output power (Fig. 4, $e_a(n)$) (equation 4) (i.e., **comparing adaptive filter input and output power**) to determine adaptive filter quality such that a **greater output power indicates** poor adaptive filter quality (i.e., **a real-time error**).

14. Regarding Claim 20, Karlsen discloses copying the programmable filter to the adaptive filter (Fig. 7, reference 760) as a result of the adaptive filter quality decreasing (i.e., **detecting real-time error**). Because the adaptive filter quality is inversely proportional to the error signal power $e_a^2(n)$ (Fig. 7, step 510; equation 4) this process is triggered by an increase in error signal power (i.e., **when an inversion in echo return loss enhancement occurs abruptly**).

15. Regarding Claim 22, Karlsen discloses this **comparing** model quality (i.e., computing distance between models) at each sample time (i.e., **for each of a plurality of time lags**) (Fig. 7, reference 500; p. 8, lines 13-16). Further, Karlsen discloses immediately (i.e., **at a matching time lag**) copying the programmable filter to the adaptive filter (i.e., **restoring the saved model as the current model**) (Fig. 7, reference 760).

Art Unit: 2644

16. Regarding Claim 23, Karlsen discloses immediately (i.e., **shifted by the matching time lag**) copying the programmable filter to the adaptive filter (i.e., **replacing the emerging model with the saved model**) (Fig. 7, reference 760).

Claim Rejections - 35 USC § 103

17. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

18. Claims 7 through 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rigstad et al. (US Patent 6,044,150) in view of Karlsen.

19. Regarding Claim 7, Rigstad discloses a **speakerphone** (Fig. 6: column 11, lines 9-47) **comprising:** a digital to analog converter (i.e., **output device**) (Fig. 6, reference 68: "D/A") **to drive a speaker** (Fig. 6, 32) **responsive to a node** (Fig. 6, reference 70: summing junction output) that corresponds to the **reference node** claimed and is **coupled to the PSTN** (i.e., a **communications channel**); an analog to digital converter (i.e., **input device**) (Fig. 6, reference 68: "A/D") **responsive to a microphone** (Fig. 6, reference 30); **an echo cancellation module** (i.e., **unit**) (Fig. 6, reference 268) **coupled to the node** that corresponds to the **reference node** claimed **and the analog to digital converter that corresponds to the input device claimed to use data from the node that corresponds to the reference node claimed to remove echo from the signal received at the microphone**. Therefore, Rigstad anticipates all elements of Claim 7 except a model store to store a current echo model when a real time error occurs. Karlsen

Art Unit: 2644

discloses a programmable filter (Fig. 4, reference 18; p. 7, lines 8-16) that corresponds to the **model store** claimed and receives coefficients from an adaptive filter (i.e., **stores a current echo model**) when the programmable filter performs poorly (i.e., **when a real-time error occurs**) (Fig. 7, step 730; p. 11, lines 1-6). It would have been obvious to one skilled in the art at the time of the invention to apply coefficient storing as taught by Karlsen to the speakerphone taught by Rigstad for the purpose of having available a set of coefficients that are known to provide a good quality output signal.

20. Regarding Claim 8, Rigstad further discloses the **speakerphone implemented in a computer** (column 5, line 66 through column 6, line 3) and **the echo canceller implemented in software** (column 11, lines 25-27). Further, Rigstad discloses the A/D converter that corresponds to **the input device** claimed and the modem that contains the summing junction whose output corresponds to **the reference node** claimed contained within the computer (Fig. 3, reference 68, 70; column 7, lines 20-21, 55-56), which inherently **couples them to the echo canceller using memory in the computer**.

21. Regarding Claim 9, Karlsen further discloses detection of the programmable filter performing more poorly than the adaptive filter (i.e., **a real-time error detector**) (Fig. 7, step 530) leading to copying the adaptive filter to the programmable filter (i.e., **directing the model store to receive the current echo model to create a saved model**) (Fig. 7, step 730).

22. Regarding Claim 10, Karlsen further discloses dividing the adaptive filter input signal (Fig. 4, $y(n)$) by the adaptive filter output power (Fig. 4, $e_a(n)$) (equation 4) (i.e., **comparing adaptive filter input and output power**) to determine relative filter performance (i.e., **detect real-time error**).

Art Unit: 2644

23. Regarding Claim 11, Karlsen further discloses **comparing** the quality of the adaptive filter and the programmable filter (i.e., **the current echo model with the saved model**) (Fig. 7, step 530).

24. Regarding Claim 12, Karlsen further discloses **comparing** the quality of the adaptive filter and the programmable filter (i.e., **the current echo model with the saved model**) at each sample time (i.e., **over a plurality of time lags**) (Fig. 7, reference 500; p. 8, lines 13-16).

Further, Karlsen discloses immediately (i.e., **at a matching time lag**) copying the programmable filter to the adaptive filter (i.e., **replacing the current model with the saved model**) (Fig. 7, reference 760).

25. Regarding Claim 13, Karlsen discloses copying the programmable filter to the adaptive filter (Fig. 7, reference 760) as a result of the adaptive filter quality decreasing (i.e., **detecting real-time error**). Because the adaptive filter quality is inversely proportional to the error signal power $e_a^2(n)$ (Fig. 7, step 510; equation 4) this process is triggered by an increase in error signal power (i.e., **when an inversion in echo return loss enhancement occurs abruptly**).

26. Claims 24 through 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Karlsen in view of Rigstad.

27. Claims 24 through 26 are essentially similar to Claims 18, 22 and 19, respectively, with the exception that Claims 24 through 26 claim an article having a machine readable medium with instructions for performing the method. As stated above apropos of Claims 18, 22 and 19, Karlsen anticipates all elements of those claims. Therefore, Karlsen anticipates all elements of Claims 24 through 26 with the exception of an article having a machine readable medium with

Art Unit: 2644

instructions for performing the method. Rigstad discloses implementing adaptive filtering functions in personal computer software (i.e., **an article having a machine readable medium with instructions for performing the method**) (column 11, lines 25-27). It would have been obvious to one skilled in the art at the time of the invention to apply personal computer implementation as taught by Rigstad to the method taught by Karlsen for the purpose of utilizing a natural platform for implementation of the method (Rigstad: column 1, lines 61-64).

28. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Karlsen in view of Bergmans et al. (US Patent 5,131,011). As stated above apropos of Claim 14, Karlsen anticipates all elements of Claim 17 except normalizing the respective models and measuring a Euclidean distance between the models. Bergmans discloses the use of **Euclidean distance measurement to compare vectors** (column 5, lines 58-64). It would have been obvious to one skilled in the art at the time of the invention to apply Euclidean distance measurement as taught by Bergmans to the method taught by Karlsen for the purpose of simplifying the computation of the difference between the filters. Further, examiner takes Official Notice of the fact that **normalization of vectors** is well known. It would have been obvious to one skilled in the art at the time of the invention to apply well-known normalization to the combination of Karlsen and Bergmans for the purpose of ensuring the computation remained within the capability of a processor.

29. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Karlsen in view of Yatrou et al. (US Patent 5,343,522). As stated above apropos of Claim 18, Karlsen anticipates

Art Unit: 2644

all elements of Claim 21 except saving the portion of the echo model that includes a direct path and reverberations. Yatrou discloses modeling only the active regions of the echo impulse response (i.e., **saving the portion of the echo model that includes a direct path and reverberations**) (column 2, lines 34-36). It would have been obvious to one skilled in the art at the time of the invention to apply modeling only the active regions of the echo impulse response as taught by Yatrou to the method taught by Karlsen for the purpose of simplifying the computation of the echo replica.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel Swerdlow whose telephone number is 703-305-4088. The examiner can normally be reached on Monday through Friday between 8:00 AM and 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Forrester Isen can be reached on 703-305-4386. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9314.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-4700.

ds


XU MEI
PRIMARY EXAMINER